



The upgrade for the TECEbase toilet module.





ONE STEP AHEAD

In the practical dry-wall module, the TECEbase cistern is installed quickly and safely in the wall. To make connecting and commissioning even easier, we have made six upgrades to make life easier for you on the construction site. The result? TECE flushing technology to the usual quality standards – quicker, easier and safer to install.

"A lot can happen on the construction site. Anything that is well thought out and perfectly prepared beforehand saves a lot of time – and a lot of nerves."





The usual high flush volume, with even faster and safer installation: introducing the new TECEbase toilet module. Thanks to the preassembled F10 filling valve with flushable 3-way corner tap, the cistern only needs to be opened during fine installation. And with easy fit for quick installation, flush plates are installed in no time at all. Just two innovations that make the new TECEbase toilet module even better.



New!


- Pre-assembled filling valve with 3-way corner tap
- Tank doesn't have to be opened in shell construction
- · Improved splash guard
- easy fit quick assembly for flush plates
- Can be upgraded for shower toilets
- Optimised drain bend holder

ALL NEW TECHNICAL FEATURES AT A GLANCE


Pre-assembled, easy and secure connection. Experience the new TECEbase toilet module.


Quickly connected – without sealing

The new water connection of the cistern has a 1/2" external thread and is compatible with quick adapters. Time-consuming sealing? Not any more.











Secure hold

The drain bend holder with upward opening makes the assembly of the drain connection to the module easier. Y-bars in the drain bend holder improve the hold and prevent the flush pipe from twisting.




Install the flush plate – faster than ever!

Get there 60% quicker: with easy fit, installing the flush plate can be done without stress and in one go. No need for readjusting or measuring. Insert the screws, push them through and tighten them with just a few turns – the attachment frame is already firmly seated on the splash guard. Now simply insert the actuation rods and fix them in place with a 45 degree turn.









Maximum safety, maximum comfort

The TECEbase cistern is delivered pre-assembled and sealed and only needs to be opened during fine installation. The solid dirt deflector of the splash guard prevents dirt from penetrating, clamping slides simplify opening

and closing of the splash guard.


Another convenience: insertion aids for the actuation rods and an enlarged cable feed-through for electronics facilitate the installation of mechanical and


electronic flush plates.














Flushing start Operation

Ahead of the game

The pleasantly quite F10 filling valve is already pre-assembled in the TECEbase cistern. Its integrated, newly developed 3-way corner tap can be flushed when installed during commissioning, thereby ensuring greater safety during installation.

Retained features

- 10-litre safety tank for direct additional flushing (without waiting)
- Acoustic group 1 in accordance with DIN 4109 "Sound insulation in buildings"
- Can be loaded up to 400 kg
- Meets the European standard for cisterns DIN EN 14055

"All the plates fit. Every time!"




"In 2021, we will be adding a whole range of upgrades to our flushing technology. Many of these have come from your suggestions or from conversations with you. Time to say thank you! And as ever, the same applies to this upgrade: full compatibility throughout the whole range."

Andre Meiermann, Product Manager Sanitary Systems

Universally compatible!

All TECE flush plates are compatible with the TECEbase cistern - whatever the series, whatever the year! We also guarantee this for cisterns and flush plates with and without easy fit.

Combinations with and without easy fit. Making assembly a success!



Our new item numbers (valid from April 2021):

TECEbase	Description	Old item no.*	New item no.
	TECEbase toilet module with base cistern, installation height 1120 mm	9400001	9400401
		9400000	9400400 9400405 9400406 9400408 9400411 9400412 9400413

Fig.	Description	ltem no.
	TECEbase shell set for connecting a shower toilet	9880071
	TECEprofil shut-off valve 4-way	9820443

*Change due in April 2021

For more information visit www.tece.com